Material Safety Data Sheet							
	p, Inc. 10 Seaboard Industrial Blvd. lanta, GA 30318 877-I-BUY-ZEP (428-9937) ww.zep.com	Section 1. Chemical Product and Company Identification					
Atl		Product name	A 50 R.T.U.				
		Product use	Cleaner.				
		Product code	F500				
		Date of issue	08/14/09	Supersedes 12/07/04			
	-	For MSDS Informa	Emergency Telephone Numbers For MSDS Information: Compliance Services 1-877-I-BUY-ZEP (428-9937)				
		For Medical Emergency (877) 541-2016 Toll Free - All Calls Recorded					
		For Transportation Emergency CHEMTREC: (800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616					
Printing da	ate: 08/14/09	Prepared By Compliance Services 1420 Seaboard Industrial Blvd. Atlanta, GA 30318					
Section 2. Ha	zards Identification						
Emergency ov	verview	*Hazard Determination Sy	vstem (HDS): Health, Flamm	nability, Reactivity			
			0 0	0			
	EYE IRRITATION.						
	a pertains to the product as delivere	d in the original shipping	container(s). Risk o	of adverse effects are lessened by following al			
NOTE: MSDS dat	a pertains to the product as delivere precautions, including the use of pr			of adverse effects are lessened by following al			
NOTE: MSDS dat prescribed safety Acute Effects	precautions, including the use of pr Routes of Entry	oper personal protective Not applicable.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M	precautions, including the use of pr	oper personal protective Not applicable.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N	Precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. Io known significant effects or crit	oper personal protective Not applicable. tion of the eye is charact ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N	Precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. Io known significant effects or crit	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ito Skin N Inhalation N Ingestion N	Precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. To known significant effects or crit to known significant effects or crit	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N Ingestion N Chronic effects	Precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. No known significant effects or crit known significant effects or crit known significant effects or crit No known chronic effects	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit	Precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. No known significant effects or crit known significant effects or crit known significant effects or crit No known chronic effects	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ito Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred	precautions, including the use of proposed of the second structure of t	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M itc Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi	precautions, including the use of proposed of the second structure of t	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.				
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ito Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred	precautions, including the use of pr Routes of Entry flay cause eye irritation. Inflammatiching. to known significant effects or crit No known chronic effects ty icant effects or critical hazards. dient name	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards.	equipment.	watering and			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available.	recautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. To known significant effects or crit to known significant effects or crit to known significant effects or crit No known chronic effects y icant effects or critical hazards. dient name Additional Inform mposition/Information on Ing	oper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards. s from exposure.	equipment.	watering and			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ita Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Con Name of Hazardou OSHA's Hazard O	precautions, including the use of pr Routes of Entry flay cause eye irritation. Inflammat ching. to known significant effects or crit to known chronic effects to icant effects or critical hazards. dient name Additional Inform mposition/Information on Ing ts Ingredients Communication Standard (29 CFR	roper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards. from exposure. ation: See Toxicological redients	equipment.	watering and 11) <u>CAS number</u> <u>% by Weight</u>			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ita Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Con Name of Hazardou OSHA's Hazard O	precautions, including the use of pr Routes of Entry flay cause eye irritation. Inflammat ching. to known significant effects or crit to known chronic effects to icant effects or critical hazards. dient name Additional Inform mposition/Information on Ing ts Ingredients Communication Standard (29 CFR	roper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards. from exposure. ation: See Toxicological redients	equipment.	watering and 11) <u>CAS number</u> <u>% by Weight</u>			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Cor Name of Hazardou OSHA's Hazard C any ingredient for Section 4. Firs	r precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. No known significant effects or crit to known significant effects or crit to known significant effects or crit No known chronic effects y icant effects or critical hazards. dient name Additional Inform mposition/Information on Ing is Ingredients Communication Standard (29 CFR r this product. st Aid Measures	roper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards. s from exposure. ation: See Toxicological redients a 1910.1200) does not re	equipment. terized by redness, v Information (Section	and 11) CAS number % by Weight			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ita Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Cor Name of Hazardou OSHA's Hazard C	r precautions, including the use of pr Routes of Entry May cause eye irritation. Inflammat ching. No known significant effects or crit to known significant effects or crit to known significant effects or crit No known chronic effects y icant effects or critical hazards. dient name Additional Inform mposition/Information on Ing is Ingredients Communication Standard (29 CFR r this product. st Aid Measures	roper personal protective Not applicable. tion of the eye is charact ical hazards. ical hazards. ical hazards. ical hazards. from exposure. ation: See Toxicological redients a 1910.1200) does not re	equipment. terized by redness, v Information (Section equire the listing of ly lifting the upper	watering and 11) CAS number % by Weight and lower eyelids. Check for and			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ite Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Cor Name of Hazardou OSHA's Hazard C any ingredient for Section 4. Firs	reprecautions, including the use of provide the set of	redients ation: See Toxicological redients ation of water, occasional atione to rinse for at leas of water. Remove conta	equipment. terized by redness, v Information (Section equire the listing of ly lifting the upper t 10 minutes. Get r	watering and 11) CAS number % by Weight and lower eyelids. Check for and			
NOTE: MSDS dat prescribed safety Acute Effects Eyes M ita Skin N Inhalation N Ingestion N Chronic effects Carcinogenicit No known signifi Product/ingred Not available. Section 3. Cor Name of Hazardou OSHA's Hazard C any ingredient for Section 4. Firs Eye Contact	reprecautions, including the use of provide the set of	oper personal protective Not applicable. tion of the eye is charactical hazards. ical hazards. ical hazards. ical hazards. is from exposure. ation: See Toxicological redients 1910.1200) does not reduction of the eye is charactical hazards. introduction of the eye is charactical hazards. ation: See Toxicological ation: See Toxicological introduction See Toxicolo	equipment. terized by redness, v Information (Section equire the listing of ly lifting the upper t 10 minutes. Get r iminated clothing as	watering and 11) CAS number % by Weight and lower eyelids. Check for and nedical attention immediately. nd shoes. Wash clothing before reuse.			

Flash Point Flammable Limits Flammability Fire hazard Fire-Fighting Procedures Section 6. Accide Spill Clean up	Ignting Measures None. None. Not available. Non-combustible. In a fire or if heated, a pressure increase will o Use an extinguishing agent suitable for the sur ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli	coccur and the rrounding fire (see section a water-soluble water-soluble se container. ight in a dry, container tigh	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Flammable Limits Flammability Fire hazard Fire-Fighting Procedures Section 6. Accide Spill Clean up	 Not available. Non-combustible. In a fire or if heated, a pressure increase will of Use an extinguishing agent suitable for the sure ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if van appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus the in original container protected from direct sunliterials (see section 10) and food and drink. Keep on abeled containers. Store between the following	rrounding fire	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Flammability Fire hazard Fire-Fighting Procedures Section 6. Accide Spill Clean up	Non-combustible. In a fire or if heated, a pressure increase will of Use an extinguishing agent suitable for the sur ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep of nlabeled containers. Store between the following	rrounding fire	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Fire hazard Fire-Fighting Procedures Section 6. Accide Spill Clean up	In a fire or if heated, a pressure increase will of Use an extinguishing agent suitable for the sur ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	rrounding fire	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Fire hazard Fire-Fighting Procedures Section 6. Accide Spill Clean up	Use an extinguishing agent suitable for the sur ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	rrounding fire	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Fire-Fighting Procedures Section 6. Accide Spill Clean up	Use an extinguishing agent suitable for the sur ental Release Measures Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see set. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	rrounding fire	e. 8). Stop leak if without risk. Move containers e or absorb with an inert dry material and place in Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
Spill Clean up	Put on appropriate personal protective equipment from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see est. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	water-soluble e section 8). se container. ight in a dry, container tigh	Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatible ntly closed and sealed until ready for use. Do not stor
Section 7. Handl Handling Put	from spill area. Dilute with water and mop up if y an appropriate waste disposal container. ing and Storage on appropriate personal protective equipment (see est. Wash thoroughly after handling. Do not reus be in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	water-soluble e section 8). se container. ight in a dry, container tigh	Avoid contact with eyes, skin and clothing. Do not cool and well-ventilated area, away from incompatible ntly closed and sealed until ready for use. Do not stor
Handling Put	on appropriate personal protective equipment (see est. Wash thoroughly after handling. Do not reus er in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	se container. ight in a dry, container tigh	cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
	est. Wash thoroughly after handling. Do not reus re in original container protected from direct sunli erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	se container. ight in a dry, container tigh	cool and well-ventilated area, away from incompatibl ntly closed and sealed until ready for use. Do not stor
mge	erials (see section 10) and food and drink. Keep on nlabeled containers. Store between the following	container tigh	ntly closed and sealed until ready for use. Do not stor
mate in u			
Section 8. Expos	sure Controls/Personal Protection		
Product name	Exposure li	_ imits	
No exposure limit value			
Personal Protect	ive Equipment (PPE)		
	fety glasses.		$\nabla \sigma$
	r prolonged or repeated handling, use gloves. Re	commended:	
	bber gloves. Nitrile gloves. Neoprene gloves.		
Respiratory No	special ventilation requirements.		
Section 9. Physic	cal and Chemical Properties		
Physical State	Liquid.	_	Color Clear. Green.
pH	11.5 to 12.5		Odor Citrus
Boiling Point	100°C (212°F)	Va	por Pressure Not determined.
Specific Gravity			/apor Density Not determined.
Solubility	Easily soluble in the following materials: cold w	vater Eva	poration Rate 1 (Water = 1)
	and hot water.	voc	(Consumer) 29.15 (g/l). 0.24 lbs/gal (2.90%)
Section 10. Stab	ility and Reactivity		
Stability and Rea	ctivity The product is stable.		
Incompatibility		following ma	aterials: oxidizing materials and acids.
Hazardous Polym	will not occur.	-	
Hazardous Decor	mposition Products carbon oxides (CO, CO ₂	2)	
Section 11. Toxic	cological Information		
Acute Toxicity Not available.		_	

Product code F500

Material Safety Data Sheet

Section 12. Ecological Information

Aquatic Ecotoxicity

Not available.

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: - (None.)

Classification: - (Non-hazardous waste)

Section 14. Transpo						
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	
DOT Classification	Not regulated.	Not applicable.	-	-		

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG* : Packing group

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop 65 No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.