



Close this window

Common Name: HF CONTACT CLEANER 03125

Manufacturer: CRC

MSDS Revision Date: 5/19/2014

MSDS Format: GHS-US

Grainger Item Number(s): 1D263

**Manufacturer Model
Number(s):**

MSDS Table of Contents

Click the desired link below to jump directly to that section in the MSDS.

- [1. IDENTIFICATION](#)
- [2. HAZARD\(S\) IDENTIFICATION](#)
- [3. COMPOSITION/INFORMATION ON INGREDIENTS](#)
- [4. FIRST-AID MEASURES](#)
- [5. FIRE-FIGHTING MEASURES](#)
- [6. ACCIDENTAL RELEASE MEASURES](#)
- [7. HANDLING AND STORAGE](#)
- [8. EXPOSURE CONTROLS/PERSONAL PROTECTION](#)
- [9. PHYSICAL AND CHEMICAL PROPERTIES](#)
- [10. STABILITY AND REACTIVITY](#)
- [11. TOXICOLOGICAL INFORMATION](#)
- [12. ECOLOGICAL INFORMATION](#)
- [13. DISPOSAL CONSIDERATIONS](#)
- [14. TRANSPORT INFORMATION](#)
- [15. REGULATORY INFORMATION](#)
- [16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION](#)

CRC (R*)

SAFETY DATA SHEET

1. IDENTIFICATION

PRODUCT IDENTIFIER: HF(TM) CONTACT CLEANER

OTHER MEANS OF IDENTIFICATION:

PRODUCT CODE: 03125
RECOMMENDED USE: ELECTRONIC CLEANER
RECOMMENDED RESTRICTIONS: NONE KNOWN.

MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION:

MANUFACTURED OR SOLD BY:

COMPANY NAME: CRC INDUSTRIES, INC.

ADDRESS:
885 LOUIS DR.
WARMINSTER, PA 18974
US

TELEPHONE:

GENERAL INFORMATION: 215-674-4300

TECHNICAL ASSISTANCE: 800-521-3168

CUSTOMER SERVICE: 800-272-4620

24-HOUR EMERGENCY (CHEMTREC):
800-424-9300 (US)
703-527-3887 (INTERNATIONAL)

WEBSITE: WWW.CRCINDUSTRIES.COM

2. HAZARD(S) IDENTIFICATION

PHYSICAL HAZARDS:
FLAMMABLE AEROSOLS: CATEGORY 1
GASES UNDER PRESSURE: COMPRESSED GAS

HEALTH HAZARDS:
SKIN CORROSION/IRRITATION: CATEGORY 2
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE: CATEGORY 3 NARCOTIC EFFECTS
ASPIRATION HAZARD: CATEGORY 1

ENVIRONMENTAL HAZARDS: NOT CLASSIFIED.

OSHA DEFINED HAZARDS: NOT CLASSIFIED.

LABEL ELEMENTS:
FLAME
GAS CYLINDER
HEALTH HAZARD
EXCLAMATION MARK

SIGNAL WORD: DANGER

HAZARD STATEMENT:
EXTREMELY FLAMMABLE AEROSOL. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF

HEATED. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS.

PRECAUTIONARY STATEMENT:

PREVENTION:

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING. DO NOT SPRAY ON AN OPEN FLAME OR OTHER IGNITION SOURCE. DO NOT APPLY WHILE EQUIPMENT IS ENERGIZED. PRESSURIZED CONTAINER: DO NOT PIERCE OR BURN, EVEN AFTER USE. EXTINGUISH ALL FLAMES, PILOT LIGHTS AND HEATERS. VAPORS WILL ACCUMULATE READILY AND MAY IGNITE. AVOID BREATHING MIST OR VAPOR. USE ONLY WITH ADEQUATE VENTILATION; MAINTAIN VENTILATION DURING USE AND UNTIL ALL VAPORS ARE GONE. OPEN DOORS AND WINDOWS OR USE OTHER MEANS TO ENSURE A FRESH AIR SUPPLY DURING USE AND WHILE PRODUCT IS DRYING. IF YOU EXPERIENCE ANY SYMPTOMS LISTED ON THIS LABEL, INCREASE VENTILATION OR LEAVE THE AREA. AVOID BREATHING GAS. WASH THOROUGHLY AFTER HANDLING. WEAR PROTECTIVE GLOVES.

RESPONSE:

IF SWALLOWED:

IMMEDIATELY CALL A POISON CENTER/DOCTOR. DO NOT INDUCE VOMITING.

IF ON SKIN: WASH WITH PLENTY OF WATER.

IF SKIN IRRITATION OCCURS:

GET MEDICAL ATTENTION. TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

IF INHALED:

REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. CALL A POISON CENTER/DOCTOR IF YOU FEEL UNWELL.

STORAGE:

STORE IN A WELL-VENTILATED PLACE. STORE LOCKED UP. PROTECT FROM SUNLIGHT. DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 DEG. C/122 DEG. F. EXPOSURE TO HIGH TEMPERATURE MAY CAUSE CAN TO BURST.

DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL REGULATIONS.

HAZARD(S) NOT OTHERWISE CLASSIFIED (HNOC): NONE KNOWN.

3. COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURES:

CHEMICAL NAME COMMON NAME AND SYNONYMS CAS NUMBER %

DISTILLATES (PETROLEUM), 64742-47-8 90 - 100
HYDROTREATED LIGHT

CARBON DIOXIDE 124-38-9 1 - 3

SPECIFIC CHEMICAL IDENTITY AND/OR PERCENTAGE OF COMPOSITION HAS BEEN

WITHHELD AS A TRADE SECRET.

4. FIRST-AID MEASURES

INHALATION:

REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.

SKIN CONTACT:

REMOVE CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.

IF SKIN IRRITATION OCCURS:

GET MEDICAL ADVICE/ATTENTION. WASH CONTAMINATED CLOTHING BEFORE REUSE.

EYE CONTACT:

RINSE WITH WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.

INGESTION:

CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. RINSE MOUTH. DO NOT INDUCE VOMITING. IF VOMITING OCCURS, KEEP HEAD LOW SO THAT STOMACH CONTENT DOESN'T GET INTO THE LUNGS. ASPIRATION MAY CAUSE PULMONARY EDEMA AND PNEUMONITIS.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

DIARRHEA. MAY CAUSE DROWSINESS AND DIZZINESS. HEADACHE. NAUSEA, VOMITING. IRRITATION OF EYES AND MUCOUS MEMBRANES. IRRITATION OF NOSE AND THROAT. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

PROVIDE GENERAL SUPPORTIVE MEASURES AND TREAT SYMPTOMATICALLY. KEEP VICTIM UNDER OBSERVATION. SYMPTOMS MAY BE DELAYED.

GENERAL INFORMATION:

ENSURE THAT MEDICAL PERSONNEL ARE AWARE OF THE MATERIAL(S) INVOLVED, AND TAKE PRECAUTIONS TO PROTECT THEMSELVES.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

POWDER. ALCOHOL RESISTANT FOAM. DRY CHEMICALS. CARBON DIOXIDE (CO₂).

UNSUITABLE EXTINGUISHING MEDIA:

DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

CONTENTS UNDER PRESSURE. PRESSURIZED CONTAINER MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

FIREFIGHTERS MUST USE STANDARD PROTECTIVE EQUIPMENT INCLUDING FLAME RETARDANT COAT, HELMET WITH FACE SHIELD, GLOVES, RUBBER BOOTS, AND IN

ENCLOSED SPACES, SCBA.

FIRE-FIGHTING EQUIPMENT/INSTRUCTIONS:

IN CASE OF FIRE:

STOP LEAK IF SAFE TO DO SO. MOVE CONTAINERS FROM FIRE AREA IF YOU CAN DO SO WITHOUT RISK. COOL CONTAINERS EXPOSED TO HEAT WITH WATER SPRAY AND REMOVE CONTAINER, IF NO RISK IS INVOLVED. CONTAINERS SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP.

GENERAL FIRE HAZARDS: EXTREMELY FLAMMABLE AEROSOL.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

KEEP UNNECESSARY PERSONNEL AWAY. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. KEEP OUT OF LOW AREAS. WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND CLOTHING DURING CLEAN-UP. AVOID BREATHING MIST OR VAPOR. AVOID BREATHING GAS. DO NOT TOUCH DAMAGED CONTAINERS OR SPILLED MATERIAL UNLESS WEARING APPROPRIATE PROTECTIVE CLOTHING. VENTILATE CLOSED SPACES BEFORE ENTERING THEM. LOCAL AUTHORITIES SHOULD BE ADVISED IF SIGNIFICANT SPILLAGES CANNOT BE CONTAINED. FOR PERSONAL PROTECTION, SEE SECTION 8 OF THE SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS, OR FLAMES IN IMMEDIATE AREA). KEEP COMBUSTIBLES (WOOD, PAPER, OIL, ETC.) AWAY FROM SPILLED MATERIAL. THE PRODUCT IS IMMISCIBLE WITH WATER AND WILL SPREAD ON THE WATER SURFACE. STOP THE FLOW OF MATERIAL, IF THIS IS WITHOUT RISK. PREVENT ENTRY INTO WATERWAYS, SEWER, BASEMENTS OR CONFINED AREAS. WIPE UP WITH ABSORBENT MATERIAL (E.G. CLOTH, FLEECE). CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. FOR WASTE DISPOSAL, SEE SECTION 13 OF THE SDS.

ENVIRONMENTAL PRECAUTIONS:

AVOID DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

PRESSURIZED CONTAINER:

DO NOT PIERCE OR BURN, EVEN AFTER USE. DO NOT USE IF SPRAY BUTTON IS MISSING OR DEFECTIVE. DO NOT SPRAY ON A NAKED FLAME OR ANY OTHER INCANDESCENT MATERIAL. DO NOT SMOKE WHILE USING OR UNTIL SPRAYED SURFACE IS THOROUGHLY DRY. DO NOT CUT, WELD, SOLDER, DRILL, GRIND, OR EXPOSE CONTAINERS TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION. USE CAUTION AROUND ENERGIZED EQUIPMENT. THE METAL CONTAINER WILL CONDUCT ELECTRICITY IF IT CONTACTS A LIVE SOURCE. THIS MAY RESULT IN INJURY TO THE USER FROM ELECTRICAL SHOCK AND/OR FLASH FIRE. AVOID BREATHING MIST OR VAPOR. AVOID BREATHING GAS. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. AVOID PROLONGED EXPOSURE. USE ONLY IN WELL-VENTILATED AREAS. WEAR

APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. WASH HANDS THOROUGHLY AFTER HANDLING. OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES. FOR PRODUCT USAGE INSTRUCTIONS, PLEASE SEE THE PRODUCT LABEL.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
LEVEL 3 AEROSOL.

PRESSURIZED CONTAINER. PROTECT FROM SUNLIGHT AND DO NOT EXPOSE TO TEMPERATURES EXCEEDING 50 DEG. C/122 DEG. F. DO NOT PUNCTURE, INCINERATE OR CRUSH. DO NOT HANDLE OR STORE NEAR AN OPEN FLAME, HEAT OR OTHER SOURCES OF IGNITION. THIS MATERIAL CAN ACCUMULATE STATIC CHARGE WHICH MAY CAUSE SPARK AND BECOME AN IGNITION SOURCE. STORE IN A WELL-VENTILATED PLACE. STORE AWAY FROM INCOMPATIBLE MATERIALS (SEE SECTION 10 OF THE SDS).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

US. OSHA TABLE Z-1 LIMITS FOR AIR CONTAMINANTS (29 CFR 1910.1000):

COMPONENTS TYPE VALUE

CARBON DIOXIDE PEL 9000 MG/M3
(CAS 124-38-9) 5000 PPM

US. ACGIH THRESHOLD LIMIT VALUES:

COMPONENTS TYPE VALUE

CARBON DIOXIDE STEL 30000 PPM
(CAS 124-38-9)
TWA 5000 PPM

US. NIOSH: POCKET GUIDE TO CHEMICAL HAZARDS

COMPONENTS TYPE VALUE

CARBON DIOXIDE STEL 54000 MG/M3
(CAS 124-38-9) 30000 PPM

TWA 9000 MG/M3
5000 PPM

DISTILLATES (PETROLEUM), TWA 100 MG/M3
HYDROTREATED LIGHT
(CAS 64742-47-8)

BIOLOGICAL LIMIT VALUES:

NO BIOLOGICAL EXPOSURE LIMITS NOTED FOR THE INGREDIENT(S).

APPROPRIATE ENGINEERING CONTROLS:

GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. IF APPLICABLE, USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS

TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. IF EXPOSURE LIMITS HAVE NOT BEEN ESTABLISHED, MAINTAIN AIRBORNE LEVELS TO AN ACCEPTABLE LEVEL. EYE WASH FACILITIES AND EMERGENCY SHOWER MUST BE AVAILABLE WHEN HANDLING THIS PRODUCT.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: NOT AVAILABLE.

SKIN PROTECTION:

HAND PROTECTION: WEAR PROTECTIVE GLOVES SUCH AS: NITRILE. NEOPRENE.

OTHER: WEAR APPROPRIATE CHEMICAL RESISTANT CLOTHING.

RESPIRATORY PROTECTION:

AIR MONITORING IS NEEDED TO DETERMINE ACTUAL EMPLOYEE EXPOSURE LEVELS.

THERMAL HAZARDS:

WEAR APPROPRIATE THERMAL PROTECTIVE CLOTHING, WHEN NECESSARY.

GENERAL HYGIENE CONSIDERATIONS:

WHEN USING, DO NOT EAT, DRINK OR SMOKE. ALWAYS OBSERVE GOOD PERSONAL HYGIENE MEASURES, SUCH AS WASHING AFTER HANDLING THE MATERIAL AND BEFORE EATING, DRINKING, AND/OR SMOKING. ROUTINELY WASH WORK CLOTHING AND PROTECTIVE EQUIPMENT TO REMOVE CONTAMINANTS.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

PHYSICAL STATE: LIQUID.

FORM: AEROSOL.

COLOR: CLEAR.

ODOR: MILD HYDROCARBON.

ODOR THRESHOLD: NOT AVAILABLE.

PH: NOT AVAILABLE.

MELTING POINT/FREEZING POINT: -72.4 DEG. F (-58 DEG. C) ESTIMATED

INITIAL BOILING POINT AND BOILING RANGE: 430 DEG. F (221.1 DEG. C) ESTIMATED

FLASH POINT: 204 DEG. F (95.6 DEG. C) TAG CLOSED CUP

EVAPORATION RATE: SLOW.

FLAMMABILITY (SOLID, GAS): NOT AVAILABLE.

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:

FLAMMABILITY LIMIT - LOWER (%): 0.6% ESTIMATED
FLAMMABILITY LIMIT - UPPER (%): 5.5% ESTIMATED

VAPOR PRESSURE: 1624.9 HPA ESTIMATED

VAPOR DENSITY: 4.5 (AIR = 1)

RELATIVE DENSITY: 0.82 ESTIMATED

SOLUBILITY (WATER): NOT AVAILABLE.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT AVAILABLE.

AUTO-IGNITION TEMPERATURE: 456.8 DEG. F (236 DEG. C) ESTIMATED

DECOMPOSITION TEMPERATURE: NOT AVAILABLE.

VISCOSITY (KINEMATIC): NOT AVAILABLE.

PERCENT VOLATILE: 97.2% ESTIMATED

10. STABILITY AND REACTIVITY

REACTIVITY:

THE PRODUCT IS STABLE AND NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT.

CHEMICAL STABILITY: MATERIAL IS STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS:

NO DANGEROUS REACTION KNOWN UNDER CONDITIONS OF NORMAL USE.

CONDITIONS TO AVOID:

HEAT, FLAMES AND SPARKS. AVOID TEMPERATURES EXCEEDING THE FLASH POINT.
CONTACT WITH INCOMPATIBLE MATERIALS.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

INGESTION: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

INHALATION:

PROLONGED INHALATION MAY BE HARMFUL. MAY CAUSE DROWSINESS AND DIZZINESS.
HEADACHE. NAUSEA, VOMITING.

SKIN CONTACT: CAUSES SKIN IRRITATION.

EYE CONTACT: DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY IRRITATION.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS: DIARRHEA. MAY CAUSE DROWSINESS AND DIZZINESS. HEADACHE. NAUSEA, VOMITING. IRRITATION OF NOSE AND THROAT. IRRITATION OF EYES AND MUCOUS MEMBRANES. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.

INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. NARCOTIC EFFECTS.

PRODUCT SPECIES TEST RESULTS

HF(TM) CONTACT CLEANER:

ACUTE:

DERMAL:

LD50 RABBIT 2058.4412 MG/KG ESTIMATED

INHALATION:

LC50 RAT 5.3519 MG/L, 4 HOURS ESTIMATED

ORAL:

LD50 RAT 5146.103 MG/KG ESTIMATED

*ESTIMATES FOR PRODUCT MAY BE BASED ON ADDITIONAL COMPONENT DATA NOT SHOWN.

SKIN CORROSION/IRRITATION: CAUSES SKIN IRRITATION.

SERIOUS EYE DAMAGE/EYE IRRITATION:

DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY IRRITATION.

RESPIRATORY SENSITIZATION: NOT AVAILABLE.

SKIN SENSITIZATION: THIS PRODUCT IS NOT EXPECTED TO CAUSE SKIN SENSITIZATION.

GERM CELL MUTAGENICITY:

NO DATA AVAILABLE TO INDICATE PRODUCT OR ANY COMPONENTS PRESENT AT GREATER THAN 0.1% ARE MUTAGENIC OR GENOTOXIC.

CARCINOGENICITY:

THIS PRODUCT IS NOT CONSIDERED TO BE A CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA.

REPRODUCTIVE TOXICITY:

THIS PRODUCT IS NOT EXPECTED TO CAUSE REPRODUCTIVE OR DEVELOPMENTAL EFFECTS.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE:

MAY CAUSE DROWSINESS AND DIZZINESS.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: NOT CLASSIFIED.

ASPIRATION HAZARD: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

CHRONIC EFFECTS: PROLONGED INHALATION MAY BE HARMFUL.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

THE PRODUCT IS NOT CLASSIFIED AS ENVIRONMENTALLY HAZARDOUS. HOWEVER, THIS DOES NOT EXCLUDE THE POSSIBILITY THAT LARGE OR FREQUENT SPILLS CAN HAVE A HARMFUL OR DAMAGING EFFECT ON THE ENVIRONMENT.

PRODUCT SPECIES TEST RESULTS

HF(TM) CONTACT CLEANER:

AQUATIC:

ACUTE:

FISH LC50 FISH 2.2643 MG/L, 96 HOURS ESTIMATED

COMPONENTS SPECIES TEST RESULTS

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT (CAS 64742-47-8):

AQUATIC:

ACUTE:

FISH LC50 BLUEGILL (LEPOMIS 2.2 MG/L, 96 HOURS
MACROCHIRUS)

*ESTIMATES FOR PRODUCT MAY BE BASED ON ADDITIONAL COMPONENT DATA NOT SHOWN.

PERSISTENCE AND DEGRADABILITY: NOT AVAILABLE.

BIOACCUMULATIVE POTENTIAL: NOT AVAILABLE.

MOBILITY IN SOIL: NO DATA AVAILABLE.

OTHER ADVERSE EFFECTS:

NO OTHER ADVERSE ENVIRONMENTAL EFFECTS (E.G. OZONE DEPLETION, PHOTOCHEMICAL OZONE CREATION POTENTIAL, ENDOCRINE DISRUPTION, GLOBAL WARMING POTENTIAL) ARE EXPECTED FROM THIS COMPONENT.

13. DISPOSAL CONSIDERATIONS

DISPOSAL OF WASTE FROM RESIDUES / UNUSED PRODUCTS:

THE DISPENSED LIQUID PRODUCT IS NOT A RCRA HAZARDOUS WASTE (SEE 40 CFR PART

261.20 - 261.33). EMPTY CONTAINER CAN BE RECYCLED. CONSULT AUTHORITIES BEFORE DISPOSAL. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE, INCINERATE OR CRUSH. DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

HAZARDOUS WASTE CODE: NOT REGULATED.

CONTAMINATED PACKAGING:

EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL. SINCE EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

14. TRANSPORT INFORMATION

DOT:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS, FLAMMABLE, LIMITED QUANTITY

TRANSPORT HAZARD CLASS(ES):

CLASS: 2.1

SUBSIDIARY RISK:

LABEL(S): 2.1

PACKING GROUP: NOT APPLICABLE.

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

SPECIAL PROVISIONS: N82

PACKAGING EXCEPTIONS: 306

PACKAGING NON BULK: NONE

PACKAGING BULK: NONE

IATA:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS, FLAMMABLE, LIMITED QUANTITY

TRANSPORT HAZARD CLASS(ES):

CLASS: 2.1

SUBSIDIARY RISK:

PACKING GROUP: NOT APPLICABLE.

ENVIRONMENTAL HAZARDS: NO.

ERG CODE: 10L

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

OTHER INFORMATION:

PASSENGER AND CARGO AIRCRAFT: ALLOWED.

CARGO AIRCRAFT ONLY: ALLOWED.

IMDG:

UN NUMBER: UN1950

UN PROPER SHIPPING NAME: AEROSOLS, LIMITED QUANTITY

TRANSPORT HAZARD CLASS(ES):

CLASS: 2

SUBSIDIARY RISK:

PACKING GROUP: NOT APPLICABLE.

ENVIRONMENTAL HAZARDS:

MARINE POLLUTANT: NO.

EMS: NOT AVAILABLE.

SPECIAL PRECAUTIONS FOR USER:

READ SAFETY INSTRUCTIONS, SDS AND EMERGENCY PROCEDURES BEFORE HANDLING.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS:

THIS PRODUCT IS A "HAZARDOUS CHEMICAL" AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200.

ALL COMPONENTS ARE ON THE U.S. EPA TSCA INVENTORY LIST.

TSCA SECTION 12(B) EXPORT NOTIFICATION (40 CFR 707, SUBPT. D):
NOT REGULATED.

SARA 304 EMERGENCY RELEASE NOTIFICATION: NOT REGULATED.

US. OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050):
NOT LISTED.

US EPCRA (SARA TITLE III) SECTION 313 - LISTED SUBSTANCE
TOXIC CHEMICAL

NOT LISTED.

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4): NOT LISTED.

CERCLA HAZARDOUS SUBSTANCES REPORTABLE QUANTITY

NOT LISTED.

SPIILLS OR RELEASES RESULTING IN THE LOSS OF ANY INGREDIENT AT OR ABOVE ITS
RQ REQUIRE IMMEDIATE NOTIFICATION TO THE NATIONAL RESPONSE CENTER

(800-424-8802) AND TO YOUR LOCAL EMERGENCY PLANNING COMMITTEE.

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPS) LIST:
NOT REGULATED.

CLEAN AIR ACT (CAA) SECTION 112(R) ACCIDENTAL RELEASE PREVENTION
(40 CFR 68.130): NOT REGULATED.

SAFE DRINKING WATER ACT (SDWA): NOT REGULATED.

FOOD AND DRUG ADMINISTRATION (FDA): NOT REGULATED.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):

SECTION 311/312 HAZARD CATEGORIES:

IMMEDIATE HAZARD: YES

DELAYED HAZARD: NO

FIRE HAZARD: YES

PRESSURE HAZARD: YES

REACTIVITY HAZARD: NO

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: NO

US STATE REGULATIONS:

US. NEW JERSEY WORKER AND COMMUNITY RIGHT-TO-KNOW ACT:

CARBON DIOXIDE (CAS 124-38-9)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT (CAS 64742-47-8)

US. MASSACHUSETTS RTK - SUBSTANCE LIST: CARBON DIOXIDE (CAS 124-38-9)

US. PENNSYLVANIA WORKER AND COMMUNITY RIGHT-TO-KNOW LAW:

CARBON DIOXIDE (CAS 124-38-9)

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT (CAS 64742-47-8)

US. RHODE ISLAND RTK: NONE.

US. CALIFORNIA PROPOSITION 65:

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986

(PROPOSITION 65):

THIS MATERIAL IS NOT KNOWN TO CONTAIN ANY CHEMICALS CURRENTLY LISTED AS
CARCINOGENS OR REPRODUCTIVE TOXINS.

VOLATILE ORGANIC COMPOUNDS (VOC) REGULATIONS:

EPA:

VOC CONTENT (40 CFR 51.100(S)): 97.2%

CONSUMER PRODUCTS (40 CFR 59, SUBPT. C): NOT REGULATED

STATE:

CONSUMER PRODUCTS:

THIS PRODUCT IS REGULATED AS AN ELECTRONIC CLEANER. THIS PRODUCT IS
COMPLIANT FOR USE IN ALL 50 STATES.

VOC CONTENT (CA): 0%

VOC CONTENT (OTC): 0%

INTERNATIONAL INVENTORIES:

COUNTRY(S) OR REGION INVENTORY NAME ON INVENTORY
(YES/NO) *

AUSTRALIA AUSTRALIAN INVENTORY OF CHEMICAL YES
SUBSTANCES (AICS)

CANADA DOMESTIC SUBSTANCES LIST (DSL) YES

CANADA NON-DOMESTIC SUBSTANCES LIST (NDSL) NO

CHINA INVENTORY OF EXISTING CHEMICAL YES
SUBSTANCES IN CHINA (IECSC)

EUROPE EUROPEAN INVENTORY OF EXISTING YES
COMMERCIAL CHEMICAL SUBSTANCES
(EINECS)

EUROPE EUROPEAN LIST OF NOTIFIED CHEMICAL NO
SUBSTANCES (ELINCS)

JAPAN INVENTORY OF EXISTING AND NEW YES
CHEMICAL SUBSTANCES (ENCS)

KOREA EXISTING CHEMICALS LIST (ECL) YES

NEW ZEALAND NEW ZEALAND INVENTORY YES

PHILIPPINES PHILIPPINE INVENTORY OF CHEMICALS YES
AND CHEMICAL SUBSTANCES (PICCS)

UNITED STATES TOXIC SUBSTANCES CONTROL ACT (TSCA) YES
& PUERTO RICO INVENTORY

*A "YES" INDICATES THAT ALL COMPONENTS OF THIS PRODUCT COMPLY WITH THE
INVENTORY REQUIREMENTS ADMINISTERED BY THE GOVERNING COUNTRY(S)

A "NO" INDICATES THAT ONE OR MORE COMPONENTS OF THE PRODUCT ARE NOT LISTED
OR EXEMPT FROM LISTING ON THE INVENTORY ADMINISTERED BY THE GOVERNING
COUNTRY(S).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION

OR LAST REVISION

ISSUE DATE: 05-19-2014

PREPARED BY: ALLISON CHO

VERSION #: 01

FURTHER INFORMATION: CRC # 493A

HMIS (R*) RATINGS:
HEALTH 2
FLAMMABILITY 3
PHYSICAL HAZARD 0
PERSONAL PROTECTION B

NFPA RATINGS:
HEALTH 2
FLAMMABILITY 3
INSTABILITY 0

DISCLAIMER:
THE INFORMATION CONTAINED IN THIS DOCUMENT APPLIES TO THIS SPECIFIC MATERIAL AS SUPPLIED. IT MAY NOT BE VALID FOR THIS MATERIAL IF IT IS USED IN COMBINATION WITH ANY OTHER MATERIALS. THIS INFORMATION IS ACCURATE TO THE BEST OF CRC INDUSTRIES' KNOWLEDGE OR OBTAINED FROM SOURCES BELIEVED BY CRC TO BE ACCURATE. BEFORE USING ANY PRODUCT, READ ALL WARNINGS AND DIRECTIONS ON THE LABEL. FOR FURTHER CLARIFICATION OF ANY INFORMATION CONTAINED ON THIS (M)SDS CONSULT YOUR SUPERVISOR, A HEALTH & SAFETY PROFESSIONAL, OR CRC INDUSTRIES.

MATERIAL NAME: HF (TM) CONTACT CLEANER

1758

SDS: US