

-----  
RICH ART POSTER COLORS  
-----

FSC: 8010  
NIIN: 00F029406  
NSN: 801000F0294060  
MANUFACTURERS CAGE: OXE44  
PART NO INDICATOR: A  
PART NUMBER TRADE NAME: RICH ART POSTER COLORS

-----  
Nuclear Water Data

NUCLEAR WATER FSC: WATE  
NUCLEAR WATER NIIN: R BASES P  
NUCLEAR WATER COG: AI  
NUCLEAR WATER NOMENCLATURE: NT  
NUCLEAR WATER REMARKS: RICH ART C

-----  
Standard PMS Identification Data

SPIN FSC: OLOR  
SPIN NIIN: CO  
SPIN:

-----  
General Information

ITEM NAME: 109 GRAHAM LANE  
MANUFACTURERS NAME: N/K LODI NJ  
MANUFACTURERS STREET: US07644 201-777-8844  
MANUFACTURERS P O BOX:  
MANUFACTURERS CITY: 201-777-8844  
MANUFACTURERS STATE:  
MANUFACTURERS COUNTRY:

MANUFACTURERS ZIP CODE:  
MANUFACTURERS EMERG PH:  
MANUFACTURERS INFO PH:  
DISTRIBUTOR VENDOR 1:  
DISTRIBUTOR VENDOR 1 CAGE:  
DISTRIBUTOR VENDOR 2:  
DISTRIBUTOR VENDOR 2 CAGE:  
DISTRIBUTOR VENDOR 3: F 001001SE 01JAN9009SEP93  
DISTRIBUTOR VENDOR 3 CAGE:  
DISTRIBUTOR VENDOR 4: RICH ART COLOR CO  
DISTRIBUTOR VENDOR 4 CAGE:  
SAFETY DATA ACTION CODE:  
SAFETY FOCAL POINT:  
RECORD NO FOR SAFETY ENTRY:  
TOT SAFETY ENTRIES THIS STK: 109  
STATUS: GR  
DATE MSDS PREPARED: AHAM LA  
SAFETY DATA REVIEW DATE: NE  
SUPPLY ITEM MANAGER:  
MSDS PREPARERS NAME: LODI  
PREPARERS COMPANY: NJ07644  
PREPARERS ST OR P O BOX:  
PREPARERS CITY: BRWFS  
PREPARERS STATE:  
PREPARERS ZIP CODE:  
OTHER MSDS NUMBER:  
MSDS SERIAL NUMBER:  
SPECIFICATION NUMBER:  
SPEC TYPE GRADE CLASS: N/K  
HAZARD CHARACTERISTIC CODE:

UNIT OF ISSUE:

UNIT OF ISSUE CONTAINER QTY:

TYPE OF CONTAINER:

NET UNIT WEIGHT:

NRC STATE LICENSE NUMBER:

NET EXPLOSIVE WEIGHT:

NET PROPELLANT WEIGHT AMMO: 212F

COAST GUARD AMMUNITION CODE:

-----  
Physical & Chemical Characteristics

APPEARANCE AND ODOR: N/K N/K >1 N/K N/K SLOWER THAN ETHER

BOILING POINT: N/K

MELTING POINT:

VAPOR PRESSURE MM HG 70 F: 60-70

VAPOR DENSITY AIR 1:

SPECIFIC GRAVITY: N/K

DECOMPOSITION TEMPERATURE:

EVAPORATION RATE AND REF: N/K N/K

SOLUBILITY IN WATER: N/P N/

PERCENT VOLATILES BY VOLUME: K

VISCOSITY: N/K

PH: FOA

RADIOACTIVITY: M, ALCOHOL F

FORM RADIOACTIVE MATL: OAM, CO2

MAGNETISM MILLIGAUSS: , DRY

CORROSION RATE IPY: CHEMICA

AUTOIGNITION TEMPERATURE: L, WAT

-----  
Fire and Explosion Hazard Data

FLASH POINT: ER FOG.

FLASH POINT METHOD:

LOWER EXPLOSIVE LIMIT:

UPPER EXPLOSIVE LIMIT:

EXTINGUISHING MEDIA: N/K

SPECIAL FIRE FIGHTING PROC: PRODUCT WILL NOT BURN, BUT MAY SPLATTER IF TEMPERATURE EXCEEDS THE BOILING POINT.

UNUSUAL FIRE AND EXPL HAZRDS: YESFREEZING

---

Reactivity Data

STABILITY:

COND TO AVOID STABILITY: N/R

MATERIALS TO AVOID: N/R

HAZARDOUS DECOMP PRODUCTS: NO N/K

HAZARDOUS POLY OCCUR:

CONDITIONS TO AVOID POLY: N/K NO NO NO SKIN/EYES: IRRITATION.

---

Health Hazard Data

LD50 LC50 MIXTURE:

ROUTE OF ENTRY INHALATION:

ROUTE OF ENTRY SKIN:

ROUTE OF ENTRY INGESTION:

HEALTH HAZ ACUTE AND CHRONIC: NO NO NO NONE

CARCINOGENICITY NTP:

CARCINOGENICITY IARC:

CARCINOGENICITY OSHA:

EXPLANATION CARCINOGENICITY: N/K

SIGNS SYMPTOMS OF OVEREXP: N/K

MED COND AGGRAVATED BY EXP: EYES: FLUSH W/WATER FOR 15 MIN. SKIN: WASH THOROUGHLY W/SOAP & WATER. OBTAIN MEDICAL ATT

EMERGENCY FIRST AID PROC: ENTION IN ALL CASES WHERE SYMPTOMS PERSIST. MIX W/ABSORBENT MATERIALS.

---

Precautions for Safe Handling and Use

STEPS IF MATL RELEASED SPILL: N/K DISPOSE

NEUTRALIZING AGENT: OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

WASTE DISPOSAL METHOD: KEEP FROM FREEZING.

PRECAUTIONS HANDLING STORING: N/K

OTHER PRECAUTIONS: N/K

---

Control Measures

RESPIRATORY PROTECTION: N/K

VENTILATION: N/K GLASSES OR GOGGLES IF DESIRED N/K

PROTECTIVE GLOVES:

EYE PROTECTION:

OTHER PROTECTIVE EQUIPMENT: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

WORK HYGIENIC PRACTICES: N/K

SUPPL SAFETY HEALTH DATA:

---

Transportation Data

TRANSPORTATION ACTION CODE:

TRANSPORTATION FOCAL POINT:

TRANS DATA REVIEW DATE:

DOT PSN CODE:

DOT SYMBOL:

DOT PROPER SHIPPING NAME:

DOT CLASS:

DOT ID NUMBER:

DOT PACK GROUP:

DOT LABEL:

DOT DOD EXEMPTION NUMBER:

IMO PSN CODE:

IMO PROPER SHIPPING NAME:

IMO REG PAGE NUMBER:

IMO UN NUMBER:

IMO UN CLASS:

IMO SUBSID RISK LABEL:

IATA PSN CODE:

IATA UN ID NUMBER:

IATA PROPER SHIP NAME:

IATA UN CLASS:

IATA SUBSID RISK CLASS:

IATA LABEL:

AFI PSN CODE:

AFI SYMBOLS:

AFI PROP SHIPPING NAME:

AFI CLASS:

AFI ID NUMBER:

AFI PACK GROUP:

AFI LABEL:

AFI SPECIAL PROV:

AFI BASIC PAC REF:

MMAC CODE:

N O S SHIPPING NAME:

ADDITIONAL TRANS DATA:

-----  
Disposal Data

DISPOSAL DATA ACTION CODE:

DISPOSAL DATA FOCAL POINT:

DISPOSAL DATA REVIEW DATE:

RECNUM FOR THIS DISP ENTR:

TOT DISP ENTRIES PER NSN:

LANDFILL BAN ITEM:

DISPOSAL SUPPLEMENTAL DAT:

EPAHAZWST 1ST CODE NEW:

EPAHAZWST 1ST NAME NEW:

EPAHAZWST 1ST CHAR NEW:

EPAACUTEHAZARD 1ST NEW:

EPAHAZWST 2ND CODE NEW:

EPAHAZWST 2ND NAME NEW:

EPAHAZWST 2ND CHAR NEW:

EPAACUTEHAZARD 2ND NEW:

EPAHAZWST 3RD CODE NEW:

EPAHAZWST 3RD NAME NEW: YES09SEP9325AUG93N/R F RICH ART POSTER COLORS

EPAHAZWST 3RD CHAR NEW:

EPAACUTE 3RD HAZARD NEW:

-----  
Label Data

LABEL REQUIRED:

TECHNICAL REVIEW DATE: NO

LABEL DATE: CAUTION

MFR NUMBER: ! X X X X

LABEL STATUS: S

COMMON NAME: KIN/EYES: IRRITATION.

CHRONIC HAZARD:

SIGNAL WORD:

ACUTE HEALTH HAZARD NONE:

ACUTE HEALTH HAZARD SLIGHT:

ACUTE HEALTH HAZARD MODERATE:

ACUTE HEALTH HAZARD SEVERE:

CONTACT HAZARD NONE:

CONTACT HAZARD SLIGHT:

CONTACT HAZARD MODERATE:

CONTACT HAZARD SEVERE:

FIRE HAZARD NONE:

FIRE HAZARD SLIGHT:

FIRE HAZARD MODERATE:

FIRE HAZARD SEVERE:

REACTIVITY HAZARD NONE:

REACTIVITY HAZARD SLIGHT:

REACTIVITY HAZARD MODERATE:

REACTIVITY HAZARD SEVERE:

SPECIAL HAZARD PRECAUTIONS: Y RICH ART COLOR CO 109 GRAHAM LANE

PROTECT EYE:

PROTECT SKIN:

PROTECT RESPIRATORY:

LABEL NAME: N/K LODI NJ

LABEL STREET: 07644 US201-777-8844

LABEL P O BOX:

LABEL CITY: UNK

LABEL STATE:

LABEL ZIP CODE:

LABEL COUNTRY:

LABEL EMERGENCY NUMBER:

YEAR PROCURED:

FIRE HAZARD SEVERE:

REACTIVITY HAZARD NONE:

REACTIVITY HAZARD SLIGHT:

REACTIVITY HAZARD MODERATE:

REACTIVITY HAZARD SEVERE:

SPECIAL HAZARD PRECAUTIONS: Y RICH ART COLOR CO 109 GRAHAM LANE

PROTECT EYE: