

SAFETY DATA SHEET

FOODSAFE GEARSYN FGG-460

SYNTHETIC FOOD GRADE HYDRAULIC LUBRICANT

1. PRODUCT IDENTIFICATION

| Product Name/Identifier: | FOODSAFE GEARSYN FGG-460 | |
|---|--|--|
| Other means of identification | FOODSAFE GEARSYN FGG-460 | |
| Recommended use of the chemical | of the chemical Lubricant | |
| Uses advised against | No information available | |
| Details of the supplier of the safety data sheet | Petrochem, Inc. 6N999 Whispering Trail Road Saint Charles, IL, 60175 | |
| Emergency telephone number | CHEMTREC: 1-800-424-9300; INTERNATIONAL (703) 527-3887 | |
| Date Prepared: | 02/21/2015 | |
| Updated Review: | 02/21/2015 Rev. 1 | |

2. HAZARDS IDENTIFICATION

| Classification | | |
|---|--|--|
| OSHA Regulatory Status | This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) | |
| | Not a dangerous substance or mixture according to the Globally Harmonized System (GHS) | |
| EMERGENCY OVERVIEW: | | |
| Label Elements This product contains no substances which at their given concentration, are considered to be hazardous to health | | |
| Appearance | Oil | |
| Physical state | Liquid | |
| Odor | Mild | |
| Hazardous not otherwise classified | (HNOC) | |
| Other information | Harmful to aquatic life with long lasting effects. | |

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains no substances which at their given concentration, are considered to be hazardous to health.

4. FIRST AID MEASURES

| First aid measures | |
|--------------------|--|
| Eye contact: | Flush eye with water for 15 minutes. |
| Skin contact: | Wash off immediately with soap and plenty of water. |
| Inhalation: | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion: | Do not induce vomiting. Drink 1 or 2 glasses of water. Consult a |
| | physician if necessary. |

Petrochem, Inc.

6N999 Whispering Trail Road, St. Charles, IL 60175 Phone (630) 513-6350 Fax (630) 513-8324 Web www.petrochem1.com Email info@petrochem1.com



The information contained herein is believed to be accurate but all suggestions are made without Guarantee because the conditions of actual use are beyond our control. Petrochem, Inc. disclaims all Liability incurred in connection with the use of this data or suggestions.

Member of the American Baking Society

| Most important symptoms and effects, both acute and delayed | |
|--|---------------------------|
| Symptoms | No information available. |
| Indication of any immediate medical | |
| attention and special treatment needed | |

5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | Carbon dioxide (CO2). Dry chemical. Foam. Water spray. | |
|-----------------------------------|--|--|
| Unsuitable Extinguishing media | Do not use a solid water stream as it may scatter and spread fire. | |
| Specific hazards arising from the | In the event of fire, cool tanks with water spray. | |
| chemical | | |
| Explosion data | | |
| Sensitivity to Mechanical Impact | None | |
| Sensitivity to Static Discharge | None | |
| Special protective equipment for | Standard procedure for chemical fires. As in any fire, wear self- | |
| firefighters | contained breathing apparatus pressure-demand, MSHA/NIOSH | |
| | (approved or equivalent) and full protective gear. | |

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | |
|--|--|
| Personal precautions: | Use personal protective equipment. Contaminated surfaces will be extremely slippery. |
| Environmental precautions | |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. Should not be released into the environment. |
| Methods and material for containment and cleaning up | Prevent further leakage or spillage if safe to do so. |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. |

7. HANDLING AND STORAGE

| Precautions for safe handling | |
|--|---|
| Handling | Spilling onto the container's outside will make container slippery. |
| Conditions for safe storage, including | |
| any incompatibilities | |
| Storage Conditions | Keep containers dry and tightly closed to avoid moisture absorption |
| | and contamination. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Control parameters | | |
|---|--|--|
| Exposure Guidelines | Contains mineral oil, vegetable oil, and/or synthetic oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg/m3, ACGIH STEL of 10 mg/m3. | |
| Appropriate engineering controls | | |
| Engineering measures to reduce | Ensure adequate ventilation, especially in confined areas. | |
| exposure | | |
| Individual protection measures, such as | | |
| personal protective equipment | | |
| Respiratory protection: | Breathing apparatus needed only when aerosol or mist is formed. | |
| Hand protection: | Nitrile rubber | |
| Eye protection: | Usual safety precautions while handling the product will provide adequate protection against this potential effect | |

| Skin and body protection: Usual safety precautions while handling the product will provide | |
|---|--|
| | adequate protection against this potential effect |
| General Hygiene Considerations: Wash off with soap and water. When using, do not eat, drink | |
| | smoke. Avoid contact with skin, eyes and clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state | Liquid |
|----------------|--------------------------|
| Appearance | Oil |
| Odor | Mild |
| Color | Clear |
| Odor threshold | No information available |

| Property | Values | Property | Values |
|------------------------|--------------------------|----------------------|--------------------------|
| pH | Not applicable | Autoignition | No information available |
| | | temperature | |
| Melting point/freezing | No information available | Decomposition | No information available |
| point | | temperature | |
| Boiling point | > 315 ° C / 600° F | Kinematic viscosity | 429 |
| | | cSt@ 40°C | |
| Flash point | 260° C / 500 ° F | Dynamic viscosity | No information available |
| (Cleveland Open Cup) | | | |
| Evaporation rate | No information available | Explosive properties | No information available |
| Flammability (solid, | No information available | Oxidizing properties | No information available |
| gas) | | | |
| Upper/lower | No information available | Other information | |
| flammability or | | | |
| explosive limits | | | |
| Vapor pressure | No information available | Softening point | No information available |
| Vapor density | No information available | Molecular weight | No information available |
| Relative density | No information available | VOC Content (%) | No information available |
| Specific Gravity | < 1.0 | Density | No information available |
| Water solubility | Insoluble in water | Bulk density | No information available |
| Solubility in other | No information available | | |
| solvents | | | |
| Partition coefficient: | No information available | | |
| n-octanol/water | | | |

10. STABILITY AND REACTIVITY

| Reactivity | Not applicable | |
|------------------------------------|---|--|
| Chemical stability | | |
| Stability | Stable under recommended storage conditions. | |
| Possibility of Hazardous Reactions | | |
| Possibility of Hazardous Reactions | None under normal processing. | |
| Hazardous polymerization | Hazardous polymerization does not occur. | |
| Conditions to avoid | No special storage conditions required | |
| Hazardous Decomposition Products | Thermal decomposition can lead to release of irritating gases and | |
| | vapors. | |
| Incompatible materials | Oxidizing agents | |

11. TOXICOLOGICAL INFORMATION

| Information on likely routes of exposure | |
|--|--|
| Product Information: | Product does not present an acute toxicity hazard based on known |
| | or supplied information. |

| Eye Contact | May cause slight irritation. | |
|--|--|--|
| Skin contact | Substance does not generally irritate and is only mildly irritating to | |
| | the skin. | |
| Inhalation | Avoid breathing vapors or mists. | |
| Ingestion | Ingestion may cause gastrointestinal irritation, nausea, vomiting and | |
| | diarrhea. | |
| Information on toxicological effects | | |
| Delayed and immediate effects as well as | | |
| chronic effects from short and long-term | | |
| exposure | | |
| Sensitization | No sensitization responses were observed. | |
| Mutagenic effects | Did not show mutagenic or teratogenic effects in animal | |
| | experiments. | |
| Carcinogenicity | This product does not contain any carcinogens or potential | |
| | carcinogens as listed by OSHA, IARC or NTP. | |
| Reproductive toxicity | This product does not contain any known or suspected reproductive | |
| | hazards. | |
| STOT – Single Exposure | None under normal use conditions. | |
| STOT – Repeated Exposure | None under normal use conditions. | |
| Aspiration hazard | Not applicable. | |
| Numerical measures of toxicity | | |
| The following values are calculated | | |
| based on chapter 3.1 of the GHS | | |
| document | | |
| ATEmix (inhalation-vapor) | 47743 mg/kg | |

12. Ecological Information

| Ecotoxicity | Harmful to aquatic life with long lasting effects. | |
|-------------------------------|---|--|
| | 0.001% of the mixture consists of components (s) of unknown | |
| | hazards to the aquatic environment | |
| Persistence and degradability | Readily biodegradable, according to appropriate OOECD test. | |
| Bioaccumulation | No information available | |
| Mobility | The product is insoluble and floats on water. | |

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|--|---------------------------------|
| Disposal of wastes Disposal should be in accordance with applicable regional, na | |
| | and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |

14. TRANSPORT INFORMATION

| DOT | Not Regulated by any means of transportation. |
|-----|---|
| | |

15. REGULATORY INFORMATION

| International Inventories: | | |
|----------------------------|---|--|
| | | |
| TSCA | Listed in TSCA | |
| DSL | All of the components in this product are listed in DSL | |
| EINECS/ELINCS | This product complies with EINECS/ELINCS | |
| CHINA | This product complies with China IECSC | |
| KECL | This product complies with Korea KECL | |
| PICCS | This product complies with Philippines PICCS | |
| AICS | All of the constituents of this material are listed on the Australian | |
| | AICS | |

| Legend: | | |
|---------------|---|--|
| TSCA | Listed in TSCA | |
| DSL | All the components in this product are listed in DSL | |
| EINECS/ELINCS | This product complies with EINECS/ELINCS | |
| CHINA | This product complies with China IECSC | |
| KECL | This product complies with Korea IECSC | |
| PICCS | This product complies with Philippines PICCS | |
| AICS | All the constituents of this material are listed on the Australian AICS | |

| Federal Regulations: | | |
|-----------------------------------|--|--|
| <u>SARA 313</u> | Section 313 of the Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Feral Regulations, Part 372. | |
| SARA 311/312 Hazard Categories: | | |
| Acute Health Hazard | No | |
| Chronic Health Hazard | No | |
| Fire Hazard | No | |
| Sudden release of pressure hazard | No | |
| Reactive Hazard | No | |
| | | |
| CWA (Clean Water Act) | This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 1122.21 and 40 CFR 122.42). | |
| CERCLA | This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material | |

| State Regulations (RTK) | |
|---------------------------------------|---|
| | |
| California Proposition 65 | This product does not contain any Proposition 65 chemicals. |
| | |
| U.S. State Right-to-Know Regulations: | |
| U.S. EPA Label Information | |
| EPA Pesticide Registration Number | Not applicable |

16. OTHER INFORMATION

HAZARD RATING INFORMATION

| | NFPA | HMIS/NPCA | KEY 0 = Minimal 1= Slight |
|---------------------|------|-----------|---------------------------------|
| Health | 1 | 1 | 2 = Moderate |
| Flammability | 1 | 1 | 3= Serious |
| Instability | 0 | - | 4 = Severe |
| Physical hazards | - | 0 | |
| Personal protection | - | В | |

| Issue Date | 02/ 21/ 2015 |
|----------------|---------------------|
| Revision Date | 02/ 21/ 2015 Rev. 1 |
| Revision Notes | Not applicable |

DISCLAIMER

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FOR ADDITIONAL INFORMATION CONTACT:

Petrochem, Inc. 6N999 Whispering Trail Road St. Charles, IL 60175 Phone: (630) 513-6350 Fax: (630) 513- 8324 Email: info@petrochem1.com www.petrochem1.com

End of Safety Data Sheet