



# SAFETY DATA SHEET

Revision Date 09-Mar-2015

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** 765-3016 NAPA THE RIGHT STUFF POWER BEAD 7.5 OZ (PTX85224)

### Other means of identification

**Product Code** 85016

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Sealant

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

ITW Permatex  
10 Columbus Blvd.  
Hartford, CT 06106 USA

#### Distributor

ITW Permatex Canada  
35 Brownridge Road, Unit 1  
Halton Hills, ON Canada L7G 0C6  
Telephone: (800) 924-6994

**Company Phone Number** 1-87-Permatex  
(877) 376-2839

**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |             |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization                | Category 1  |
| Carcinogenicity                   | Category 2  |

### Label elements

#### **Emergency Overview**

#### **Warning**

Causes serious eye irritation  
May cause an allergic skin reaction  
Suspected of causing cancer



**Appearance** Black

**Physical state** Paste

**Odor** Mild

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing should not be allowed out of the workplace  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Harmful to aquatic life with long lasting effects

Unknown acute toxicity 10.294% of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance**

| Chemical Name                               | CAS No     | Weight-% | Trade Secret |
|---|------------|----------|--------------|
| CALCIUM CARBONATE                           | 471-34-1   | 15 - 40  | *            |
| POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED | 70131-67-8 | 15 - 40  | *            |
| POLYDIMETHYLSILOXANE                        | 63148-62-9 | 7 - 13   | *            |
| VINYL OXIMINOSILANE                         | 2224-33-1  | 1 - 5    | *            |
| NITROGEN                                    | 7727-37-9  | 1 - 5    | *            |
| STEARIC ACID                                | 57-11-4    | 1 - 5    | *            |
| CARBON BLACK                                | 1333-86-4  | 1 - 5    | *            |
| 2-BUTANONE OXIME                            | 96-29-7    | 1 - 5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

|   |  |
|---|--|
| <b>General advice</b>                     | Get medical advice/attention if you feel unwell.   |
| <b>Eye contact</b>                        | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| <b>Skin contact</b>                       | IF ON SKIN: Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  |
| <b>Inhalation</b>                         | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.  |
| <b>Ingestion</b>                          | IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.   |
| <b>Self-protection of the first aider</b> | Use personal protective equipment as required.   |

##### Most important symptoms and effects, both acute and delayed

**Symptoms** May cause redness and tearing of the eyes. May cause allergic skin reaction.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

##### Unsuitable extinguishing media

None.

##### Specific hazards arising from the chemical

Heating causes rise in pressure with risk of bursting. Keep product and empty container away from heat and sources of ignition.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Remove all sources of ignition. Do not puncture or incinerate cans.

##### Environmental precautions

**Environmental precautions** Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

##### Methods and material for containment and cleaning up

- Methods for containment** Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up** Ensure adequate ventilation. Flood with water to complete polymerization and scrape off floor. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if walked on.
- Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required.

**Conditions for safe storage, including any incompatibilities**

- Storage Conditions** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Protect from moisture.
- Incompatible materials** Strong oxidizing agents, Acids, Water

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

| Chemical Name                 | ACGIH TLV                                   | OSHA PEL   | NIOSH IDLH  |
|-------------------------------|---|--|---|
| CALCIUM CARBONATE<br>471-34-1 | -   | -  | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust  |
| CARBON BLACK<br>1333-86-4     | TWA: 3 mg/m <sup>3</sup> inhalable fraction | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup> | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH |

*NIOSH IDLH Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Controls** Showers  
 Eyewash stations  
 Ventilation systems

**Individual protection measures, such as personal protective equipment**

- Eye/face protection** Wear safety glasses with side shields (or goggles).
- Skin and body protection** Wear protective gloves and protective clothing.
- Respiratory protection** Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
- General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical state** Paste  
**Appearance** Black  
**Odor** Mild  
**Odor threshold** No information available

| <u>Property</u>                | <u>Values</u>            | <u>Remarks • Method</u> |
|--------------------------------|--------------------------|-------------------------|
| pH                             | 7-8                      |                         |
| Melting point / freezing point | No information available |                         |
| Boiling point / boiling range  | Not Applicable           | Polymerization          |
| Flash point                    | > 93 °C / > 199 °F       | Tag Closed Cup          |
| Evaporation rate               | < 1                      | Butyl acetate = 1       |
| Flammability (solid, gas)      | No information available |                         |
| Flammability Limit in Air      |                          |                         |
| Upper flammability limit:      | No information available |                         |
| Lower flammability limit:      | No information available |                         |
| Vapor pressure                 | <5 mmHg @ 70°F           |                         |
| Vapor density                  | 3                        | Air = 1                 |
| Relative density               | 1.34                     |                         |
| Water solubility               | Not applicable           | Polymerization          |
| Solubility in other solvents   | No information available |                         |
| Partition coefficient          | No information available |                         |
| Autoignition temperature       | No information available |                         |
| Decomposition temperature      | No information available |                         |
| Kinematic viscosity            | No information available |                         |
| Dynamic viscosity              | No information available |                         |
| Explosive properties           | No information available |                         |
| Oxidizing properties           | No information available |                         |

**Other Information**

**Softening point** No information available  
**Molecular weight** No information available  
**VOC Content (%)** <3%  
**Density** No information available  
**Bulk density** No information available

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

Risk of explosion if heated under confinement.

**Conditions to avoid**

Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

**Incompatible materials**

Strong oxidizing agents, Acids, Water

**Hazardous Decomposition Products**

Carbon oxides, Nitrogen oxides (NOx), Formaldehyde, May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.  
**Eye contact** Contact with eyes may cause irritation. May cause redness and tearing of the eyes.  
**Skin contact** May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.  
**Ingestion** Ingestion may cause irritation to mucous membranes.

| Chemical Name  | Oral LD50             | Dermal LD50            | Inhalation LC50                      |
|--|-----------------------|------------------------|--------------------------------------|
| CALCIUM CARBONATE<br>471-34-1                                | = 6450 mg/kg ( Rat )  | -                      | -                                    |
| POLY (DIMETHYLSILOXANE),<br>HYDROXY TERMINATED<br>70131-67-8 | -                     | > 16 mL/kg ( Rabbit )  | > 8750 mg/m <sup>3</sup> ( Rat ) 7 h |
| POLYDIMETHYLSILOXANE<br>63148-62-9                           | > 17 g/kg ( Rat )     | > 2 g/kg ( Rabbit )    | -                                    |
| STEARIC ACID<br>57-11-4                                      | -                     | > 5 g/kg ( Rabbit )    | -                                    |
| CARBON BLACK<br>1333-86-4                                    | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit )    | -                                    |
| 2-BUTANONE OXIME<br>96-29-7                                  | = 930 mg/kg ( Rat )   | = 0.2 mg/kg ( Rabbit ) | = 20 mg/L ( Rat ) 4 h                |

Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Serious eye damage/eye irritation** Causes serious eye irritation.  
**Sensitization** May cause sensitization by skin contact.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name             | ACGIH | IARC     | NTP | OSHA |
|---------------------------|-------|----------|-----|------|
| CARBON BLACK<br>1333-86-4 | A3    | Group 2B | -   | X    |

ACGIH (American Conference of Governmental Industrial Hygienists)  
 A3 - Animal Carcinogen  
 IARC (International Agency for Research on Cancer)  
 Group 2B - Possibly Carcinogenic to Humans  
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
 X - Present

**Target Organ Effects** Eyes, Lymphatic System, Respiratory system, Skin.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10960 mg/kg  
 ATEmix (dermal) 8999 mg/kg

**12. ECOLOGICAL INFORMATION**

Ecotoxicity

None known

| Chemical Name             | Algae/aquatic plants | Fish | Crustacea                             |
|---------------------------|----------------------|------|---------------------------------------|
| CARBON BLACK<br>1333-86-4 | -                    | -    | 5600: 24 h Daphnia magna mg/L<br>EC50 |

|                             |  |   |  |
|-----------------------------|--|---|--|
| 2-BUTANONE OXIME<br>96-29-7 | 83: 72 h <i>Desmodesmus subspicatus</i><br>mg/L EC50 | 777 - 914: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through<br>320 - 1000: 96 h <i>Leuciscus idus</i> mg/L LC50 static<br>760: 96 h <i>Poecilia reticulata</i> mg/L LC50 static | 750: 48 h <i>Daphnia magna</i> mg/L EC50 |
|-----------------------------|--|---|--|

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Mobility**

No information available.

| Chemical Name               | Partition coefficient |
|-----------------------------|-----------------------|
| 2-BUTANONE OXIME<br>96-29-7 | 0.65                  |

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

|                               |   |
|-------------------------------|---|
| <b>Disposal of wastes</b>     | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| <b>Contaminated packaging</b> | Do not reuse container.   |
| <b>US EPA Waste Number</b>    | Not applicable  |

**14. TRANSPORT INFORMATION**

**DOT**

|                       |                                |
|-----------------------|--------------------------------|
| UN/ID no              | UN 1950                        |
| Proper shipping name: | Aerosols Limited Quantity (LQ) |
| Hazard Class          | 2.2                            |

**IATA**

|                       |                    |
|-----------------------|--------------------|
| UN/ID no              | ID 8000            |
| Proper shipping name: | Consumer commodity |
| Hazard Class          | 9                  |
| ERG Code              | 9L                 |
| Special Provisions    | A112               |

**IMDG**

|                       |                                 |
|-----------------------|---------------------------------|
| UN/ID no              | UN 1950                         |
| Proper shipping name: | Aerosols, Limited Quantity (LQ) |
| Hazard Class          | 2.2                             |
| EmS-No                | F-D, S-U                        |
| Special Provisions    | 63, 190, 277, 327, 344, 959     |

**15. REGULATORY INFORMATION**

**International Inventories**

|                      |                 |
|----------------------|-----------------|
| <b>TSCA</b>          | Complies        |
| <b>DSL/NDSL</b>      | Complies        |
| <b>EINECS/ELINCS</b> | Does not comply |
| <b>ENCS</b>          | Does not comply |
| <b>IECSC</b>         | Complies        |
| <b>KECL</b>          | Complies        |
| <b>PICCS</b>         | Complies        |
| <b>AICS</b>          | Complies        |

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

|  |     |
|--|-----|
| <b>Acute health hazard</b>               | Yes |
| <b>Chronic Health Hazard</b>             | No  |
| <b>Fire hazard</b>                       | No  |
| <b>Sudden release of pressure hazard</b> | No  |
| <b>Reactive Hazard</b>                   | No  |

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name            | California Proposition 65 |
|--------------------------|---------------------------|
| CARBON BLACK - 1333-86-4 | Carcinogen                |

**U.S. State Right-to-Know Regulations**

| Chemical Name                 | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| NITROGEN<br>7727-37-9         | X          | X             | X            |
| CARBON BLACK<br>1333-86-4     | X          | X             | X            |
| ALUMINIUM POWDER<br>7429-90-5 | X          | X             | X            |

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable



---

|             |                         |                       |                           |                              |
|-------------|-------------------------|-----------------------|---------------------------|------------------------------|
| <b>NFPA</b> | <b>Health hazards</b> 2 | <b>Flammability</b> 2 | <b>Instability</b> 0      | -                            |
| <b>HMIS</b> | <b>Health hazards</b> 2 | <b>Flammability</b> 2 | <b>Physical hazards</b> 0 | <b>Personal protection</b> B |

NFPA (National Fire Protection Association)  
HMIS (Hazardous Material Information System)

Revision Date 09-Mar-2015

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**