

| | MSDS No.:MFP- | -03' |
|---|---------------------------------|------|
| Product Name: Toner in toner ca | | |
| | Prepared Date:14-Sep- | |
| | Revised Date: 20-Oct- | 201 |
| | FICATION | |
| Product Name: Toner in toner cartridge | | |
| used for: bizhub 25 | | |
| Supplier Identification: | | |
| Konica Minolta Business Solutions (Canac | la), Ltd. | |
| 369 Britannia Road East Mississauga, Ont | • | |
| Telephone: (905)890-6600 | Facsimile: (905)283-2511 | |
| | | |
| Emergency Telephone No. CHEMTREC | | |
| | | |
| Telephone: 1-800-424-9300 | controlled products regulations | |
| WHMIS: This product is NOT subject to the | | |
| 2. COMPOSITION / INFORMATION ON | INGREDIENTS | |
| Substance [] Preparation [X |] | |
| | | |
| Major Ingredients: | | |
| [Generic Name] | [CAS No.] [%] | |
| Butyl acrylate-styrene copolymer | 25767-47-9 84-86 | |
| Carbon black(bound) | 1333-86-4 5-7 | |
| Fatty acid ester | 75587-84-7 4-6 | |
| PMMA | 9011-14-7 <1 | |
| Silicon dioxide(amorphous) | +++ 1-3 | |
| Styrene | 100-42-5 <50 PPM | |
| +++: Supplier's confidential information | | |
| | | |
| | | |
| | | |
| Hazardous Ingredients: | | |
| Chemical Name: Carbon black (5-7%) | | |
| CAS No.: 1333-86-4 | EEC-No.: 215-609-9 | |
| OSHA Z-Tables(USA): 3.5mg/m3 | ACGIH-TLV(USA): 3mg/m3 | |
| NTP(USA): Not listed | IARC Monographs: Group 2B | |
| California Proposition 65(USA): Listed | | |
| Symbol(EC): Not listed | R-Phrase(EC): Not listed | |
| DFG-MAK(GER): III 3B | Worksafe-TWA(Austl): 3mg/m3 | |
| (- / - - | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Product Name: Toner in toner cartridge

Prepared Date: 14-Sep-2011 Revised Date: 20-Oct-2014

3. HAZARDS IDENTIFICATION

| Emergency Overview: | ew: Black powder (mean dia. is um by volume). Almost oderless. | | | |
|---|--|--|--|--|
| Classification: | Not classified as dangerous. (1999/45/EC) | | | |
| Most Important Hazards and Effects of the Products | | | | |
| Ingestion Effect: None currently known. | | | | |
| Inhalation Effect: None currently known. Minimal respiratory tract irritation may occur as with ex | | | | |
| | to large amount of any non-toxic dust. | | | |
| Eye Effect: | None currently known. | | | |
| Skin Effect: | None currently known. | | | |
| Chronic Effects: Prolonged inhalation of excessive dusts may cause lung damage. Use of | | | | |
| | product, as intended, does not result in inhalation of excessive dust. | | | |
| Environment Hazards: No data are available on the adverse effects of this product on the environment. | | | | |
| Specific Hazards: | Dust explosion(like most finely divided organic powders) | | | |

4. FIRST-AID MEASURES

| | | | | |
|---------------|--|--|--|--|
| Ingestion: | Wash out mouth with water. Drink one or two glasses of water. If symptoms occur, get medical | | | |
| | attention. | | | |
| Inhalation: | Move victim to fresh air immediately. If symptoms occur, get medical attention. | | | |
| Eye Contact: | Immediately flush eyes with plenty of water for 15 minutes. If symptoms occur, get medical | | | |
| | attention. | | | |
| Skin Contact: | Wash with water and mild soap. | | | |
| | | | | |

5. FIRE-FIGHTING MEASURES

 Suitable Extinguishing Media: CO2, water spray, foam and dry chemical

 Extinguishing Media to Avoid: Full water jet

 Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

 Protection of Firefighters:
 Use self-contained breathing apparatus(SCBA).

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | None |
|---------------------------|--|
| Environmental Precautions | s: None |
| Methods for Cleaning Up: | Wear personal protective equipment (See Section 8). Vacuum or sweep material and place in a bag and hold for waste disposal. Use vacuum equipped with High Efficiency Particulate Air (HEPA) filter. Vacuum should be electrically bonded and grounded to dispel static electricity. To avoid dust generation, do not sweep dry. |



Product Name: Toner in toner cartridge

Prepared Date:14-Sep-2011 Revised Date: 20-Oct-2014

7. HANDLING AND STORAGE

Handling

Technical Measures:NonePrecautions:Do not breathe dust. Avoid contact with eyes.Safe Handling Advice:Try not to disperse the particulates.StorageTechnical Measures:NoneStorage Conditions:Storage Conditions:Keep container closed. Store in a cool and dry place. Keep out of reach of children.Incompatible Products:NonePackaging Materials:Bottles or Cartridge designated by Konica Minolta.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures

Ventilation: None required with intended use.

Control Parameters(As total dust)

| ACGIH-TLV(USA): | 10ma/m3 (Inhalable particles). | 3.0 mg/m3 (Respirable particles) |
|-----------------------|--------------------------------|----------------------------------|
| OSHA-PEL(USA): | 15mg/m3 (Total dusts), | 5.0 mg/m3 (Respirable fraction) |
| DFG-MAK(GER): | 4mg/m3 (Inhalable fraction), | 1.5mg/m3 (Respirable fraction) |
| Worksafe-TWA(Austl.): | 10mg/m3 | |
| (| 5 | |

Personal Protective Equipment

Not required under normal conditions. For use other than in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.

Hygiene Measures: Wash hands after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | |
|--|----------------------------------|
| Physical State: Solid | Color: Black |
| Form: Powder (mean dia. is um by volume) | |
| Odor: | Almost odorless |
| PH | Not applicable |
| Boiling Point(°C): | Not applicable |
| Melting Point(°C)/[F]: | Around 110 /[] (Softening Point) |
| Flash Point(°C): | Not applicable |
| Ignition Temperature(°C): | No data available |
| Explosion Properties: | No data available |
| Vapor Pressure: | Not applicable |
| Specific Gravity: | 1.15 |
| Solubility: | Insoluble in water. |
| Partition Coefficient, n-Octanol/Water: | Not applicable |



Product Name: Toner in toner cartridge

Prepared Date:14-Sep-2011 Revised Date: 20-Oct-2014

10. STABILITY AND REACTIVITY

| Stability: | Stable except above 200C(392F). | | |
|---|---|--|--|
| Hazardous Reactions: | Dust explosion, like most finely divided organic powders. | | |
| Conditions to avoid: | Electric discharge, throwing into fire. | | |
| Materials to Avoid: | Oxidizing materials. | | |
| Hazardous Decomposition Products: CO, CO2, and smoke. | | | |
| Hazardous Polymerization: | Will not occur. | | |

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

| Ingestion(oral), LD50(mg/kg): | >2000(Rat) |
|-------------------------------|-------------------|
| Dermal, LD50(mg/kg): | No data available |
| Inhalation, LC50(mg/l): | >5.15(Rat) |
| Eye irritation: | Minimal |
| Skin irritation: | None |
| | |

Skin sensitizer:

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

In a two-year inhalation study of chronic toxicity and carcinogenicity using a typical toner in rats, there were no lung changes at all in the lowest exposure level (1mg/m3), the most relevant level to potential human exposures. A minimal to mild degree of fibrosis was noted in 22% of the animals at the middle exposure level (4mg/m3), and a mild to moderate degree of fibrosis was observed in 92% of the rats at the highest exposure level (16mg/m3). The lung changes observed in the higher exposure groups are interpreted in terms of "lung overloading", a series of generic responses to the presence of large quantities of respirable, insoluble and relatively benign dusts retained for extended time periods in the lungs. Lung tumor frequency was unchanged among rats exposed to toner at the three exposure levels, and for air-only control rats.

Carcinogenicity

The IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Mutagenicity: Negative(AMES test)

Teratogenicity:

No data available

(*= Based on data for other Konica Minolta Products with similar ingredients)



MATERIAL SAFETY DATA SHEET

Page:5/6

MSDS No.:MFP-0372

Product Name: Toner in toner cartridge

Prepared Date: 14-Sep-2011 Revised Date: 20-Oct-2014

12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

Ecotoxicity:No data availableMobility:No data availablePersistenceandBioaccumulative potential:No data available

13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations UN Classification: None

Further information: Not a dangerous good under IATA or IMDG.

15. REGULATORY INFORMATION

US Information

Information on the label: Not required

TSCA(Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

Ingredient carbon black subject to California Proposition 65 is bound in polymer-matrices so that warnings are not required.

EU Information

Information on the label (1999/45/EC and 67/548/EEC): Not required

Article14 (2.1) of Directive 1999/45/EC is not applicable to this product.

WHMIS(Canada): This product is NOT subject to the controlled products regulations.

16. OTHER INFORMATION

HMIS Rating: The National Paint and Coating Association(USA): Health: 1 Flammability: 1 Reactivity: 0 Recommended Uses: Toner for Electrophotographic Equipment

Explanation of term: IARC 2B means "possible human carcinogen".

Revision Information: Regular revision on revised date.

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991)

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.



MATERIAL SAFETY DATA SHEET

Page:6/6

MSDS No.:MFP-0372

| Product N | Jame: | Toner | in | toner | cartridge | |
|-----------|-------|-------|----|-------|-----------|---------------------------|
| | | | | | | Prepared Date:14-Sep-2011 |
| | | | | | | Revised Date: 20-Oct-2014 |

Restrictions:

The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.